

Name: Hubei Center for Clinical Laboratory

Address: No. 60, Dingziqiao Road, Wuchang District, Wuhan, Hubei, China

Registration No. CNAS PT0036


Accreditation Criteria: ISO/IEC 17043:2010 and relevant requirements of CNAS

Effective Date: 2019-10-14      Expiry Date: 2023-09-18

CHINA NATIONAL ACCREDITATION SERVICE FOR CONFORMITY ASSESSMENT  
SCHEDULE OF ACCREDITATION CERTIFICATE

SCHEDULE 2 ACCREDITED PROFICIENCY TESTING SCOPE FOR TESTING


№	Sample	Item/Parameter		Note
		№	Item/Parameter	
1	Serum-based material	1	Glucose	
		2	Total Protein	
		3	Albumin	
		4	Creatinine	
		5	Urea	
		6	Uric Acid	
		7	Alanine Aminotransferase	
		8	Aspartate aminotransferase	
		9	L-γ-Glutamyltransferase	
		10	Lactate Dehydrogenase	
		11	Alkaline Phosphatase	



No. CNAS PT0036

The scope of the accreditation in Chinese remains the definitive version.

№	Sample	Item/Parameter		Note
		№	Item/Parameter	
		12	Creatine Kinase	
		13	Amylase	
		14	Total Bilirubin	
		15	Direct Bilirubin	
		16	Potassium	
		17	Sodium	
		18	Chloride	
		19	Calcium	
		20	Phosphorus	
		21	Total Cholesterol	
		22	Triglycerides	
		23	HDL Cholesterol	
		24	LDL Cholesterol	
		25	apoA1	
		26	apoB	
		27	HBsAg	
		28	HBsAb	
		29	HBeAg	




No. CNAS PT0036

The scope of the accreditation in Chinese remains the definitive version.

在线扫码获取验证


№	Sample	Item/Parameter		Note
		№	Item/Parameter	
		30	HBeAb	
		31	HBcAb	
		32	HCV-Ab	
		33	HAV-IgM	
		34	HIV-Ab	
		35	T.pallidum antibody	
		36	T.pallidum non-specific antibody	
		37	Alpha-fetoprotein	
		38	Carcinoembryonic Antigen	
		39	human chorionic gonadotrophin	
		40	β2-microglobulin	
		41	Total Prostate Specific Antigen	
		42	CA125	
		43	CA15-3	
		44	CA19-9	
		45	Free HCG	
		46	uE3	
		47	triiodothyronine	



No. CNAS PT0036

The scope of the accreditation in Chinese remains the definitive version.

№	Sample	Item/Parameter		Note
		№	Item/Parameter	
		48	tetraiodothyronine	
		49	free-triiodothyronine	
		50	free-tetraiodothyronine	
		51	Thyroid Stimulating Hormone	
2	whole blood	1	White Blood Cell Count	
		2	Red Blood Cell Count	
		3	Hemoglobin	
		4	Hematocrit	
		5	Platelet Count	
		6	Glycated Haemoglobin A1c	
		7	ABO grouping	
		8	RhD typing	
		9	Cross matching	
3	Urine-based material	1	Glucose	
		2	Protein	
		3	Occult blood or red cell	
		4	Urine nitrite test	
		5	Acetone body	




No. CNAS PT0036

The scope of the accreditation in Chinese remains the definitive version.

在线扫码获取验证

№	Sample	Item/Parameter		Note
		№	Item/Parameter	
		6	Leukocyte esterase	
		7	Bilirubin	
		8	pH	
		9	Specific gravity	
		10	Urobilinogen	
4	Plasma-based material	1	Prothrombin Time	
		2	Activated Partial Thromboplastin Time	
		3	Fibrinogen	
		4	HBV-DNA	
		5	HCV-RNA	
		6	ABO reverse grouping	
		7	Antibody screen	
5	solution (non-Newtonian fluid)	1	Blood viscosity	
6	Lyophilized strains	1	Fungi Identification	
		2	Antimicrobial Susceptibility Testing	
7	Serum-based material	1	Iron	
		2	Magnesium	
		3	Lithium	




No. CNAS PT0036

The scope of the accreditation in Chinese remains the definitive version.

在线扫码获取验证


№	Sample	Item/Parameter		Note
		№	Item/Parameter	
		4	Copper	
		5	Zinc	
		6	$\alpha$ -hydroxybutyrate dehydrogenase	
		7	Cholinesterase	
		8	Lipase	
		9	TotalIron binding capacity	
		10	Lipoprotein a	
		11	Homocysteine	
		12	Cortisol	
		13	insulin	
		14	Progesterone	
		15	Testosterone	
		16	Oestradiol	
		17	Luteinizing hormone	
		18	FSH	
		19	Prolactin	
		20	C-Peptide	
		21	Folate	



No. CNAS PT0036

The scope of the accreditation in Chinese remains the definitive version.

№	Sample	Item/Parameter		Note
		№	Item/Parameter	
		22	Vitamin B12	
		23	25-Hydroxy Vitamin D	
		24	Ferritin	
		25	Free prostate specific antigen	
		26	Creatine kinase.MB	
		27	Myoglobin	
		28	Troponin-I	
		29	Troponin-T	
		30	C-reactive protein	
		31	antinuclear antibody	
		32	anti double stranded DNA	
		33	anti-RNP	
		34	anti smooth	
		35	anti SS-A	
		36	anti SS-B	
		37	anti Scl-70	
		38	anti Jo-1	
		39	CMV-IgG	




No. CNAS PT0036

The scope of the accreditation in Chinese remains the definitive version.

在线扫码获取验证

№	Sample	Item/Parameter		Note
		№	Item/Parameter	
		40	CMV-IgM	
		41	HSV-1-IgG	
		42	HSV-1-IgM	
		43	HSV-2-IgG	
		44	HSV-2-IgM	
		45	TG-IgM	
		46	TG-IgG	
		47	Ruv-IgM	
		48	Ruv-IgG	
		49	Schistosoma-specific-IgG	
8	whole blood	1	Reticulocyte	
		2	MCV	
		3	MCH	
		4	MCHC	
		5	Erythrocyte Sedimentation Rate	
		6	Blood lead	
9	Plasma-based material	1	Thrombin Time	
		2	Cotting Factor II	




No. CNAS PT0036

The scope of the accreditation in Chinese remains the definitive version.



№	Sample	Item/Parameter		Note		
		№	Item/Parameter			
		3	Cotting Factor V			
		4	Cotting Factor VII			
		5	Cotting Factor VIII			
		6	Cotting Factor IX			
		7	Cotting Factor X			
		8	Cotting Factor XI			
		9	Cotting Factor XII			
		10	Fibrinogen Degradation Product			
		11	D-Dimer			
		12	HBV-DNA			
		13	HCV-RNA			
		14	Determination of HIV-RNA			
		10	Lyophilized strains	1	culture and identification of Urine	
				2	culture and identification of Blood	
3	culture and identification of Clam					
4	culture and identification of Throat Swap					
5	culture and identification of Vaginal Swap					
6	culture and identification of Ear Swap					




No. CNAS PT0036

The scope of the accreditation in Chinese remains the definitive version.

在线扫码获取验证

№	Sample	Item/Parameter		Note
		№	Item/Parameter	
		7	culture and identification of Urethral Swap	
		8	culture and identification of Pus	
		9	culture and identification of Stool	
		10	culture and identification of Cerebrospinal fluid	
		11	culture and identification of Sterile body fluid	
11	whole blood-based material	1	Stool occult blood test	
12	cerebrospinal fluid-based material	1	Albumin	
		2	Total Protein	
		3	Chloride	
		4	Glucose	
		5	Lactate Dehydrogenase	
		6	Lactic Acid	
		7	IgG	
		8	IgM	
		9	IgA	



No. CNAS PT0036

The scope of the accreditation in Chinese remains the definitive version.